


# Excelis EC50

ROUTINE MICROSCOPY CAMERA

Robust, affordable 5MP color camera for routine microscopy imaging. USB 2.0 connectivity and advanced CaptaVision+ imaging software for a wide range of applications.



## Key Features



ROLLING



COLOR



1/2.8"




USB 2.0


 MAC & PC  
 COMPATIBLE

## Recommended Applications

EDUCATION  
 TRAINING  
 CLINICAL  
 VETERINARY

INSPECTION  
 DEMONSTRATION  
 DOCUMENTATION



***Empowering Discovery. Advancing Results.***




# Excelis EC50

ROUTINE MICROSCOPY CAMERA

## Key CaptaVision+ Software Features

- Intuitive & customizable user interface
- Capture still images, record live and time lapse video
- Simple calibration and measurements
- Advanced control of exposure, gain, color balance, etc.
- Powerful image processing tools
- Intelligent flat field correction
- Flexible report generation and data export



### CAMERA & SOFTWARE SPECIFICATIONS

Model	AU-EC50
Sensor/Model	Sony IMX335LQN-C, CMOS, color
Sensor Size	1/2.8"; 0.35x or 0.5x (recommended) C-mount adapter
Resolution	2560 (H) x 1920 (V)
Pixel Size	2.0µm x 2.0µm
Frame Rate	29fps @ 2560 x 1920
Shutter Mode	Rolling
Image Transmission	USB 2.0
Exposure Time	1µs - 1s941ms
Automatic Settings	Exposure, Color Scale, White Balance
Manual Settings	Exposure, Gain, Noise Reduction, Gamma, Flat Field Correction
Color Temperature	2000-15000K
ADC Depth	12Bit
Operating Temperature & Humidity	0-60°C
Data Interface	USB 2.0
PC Imaging Software (see additional features at right)	<b>CaptaVision+ Imaging Software for PC and MacOS</b> <b>Advanced Camera Controls:</b> live/still image measurement and annotation; flat field correction; video record; delay capture; ROI and mask; fluorescence image settings; fluorescence multi-color channel merge <b>Image Types:</b> TIF, JPG, PNG, DICOM TWAIN driver available
System Software Compatibility	Windows 7, 8, 10, 11 (64-bit recommended) Mac OSX 10.4 and higher <b>Minimum System Recommendations:</b> intel i5 or better (Quad Core or better); 16GB RAM or more; USB 2.0 high-speed port minimum
Camera Size/Weight	68 x 68 x 42.5mm / 236g



Copyright © 2022 ACCU-SCOPE Inc. All rights reserved. Printed in the U.S.A.  
ACCU-SCOPE Inc. reserves the right to change and improve specifications without notice due to technological or manufacturing advances.



v091222